

extensive range  
leading brands  
design & install

SAFE & SECURE  
ONLINE SHOPPING

australia wide authorised catering equipment distributor

Visit Australia's leading Commercial Catering Equipment website for instant quotes on the major catering equipment brands at very competitive prices.

[www.mvocateringsolutions.com.au](http://www.mvocateringsolutions.com.au)

#### Showroom locations

MVO Services  
3 Toonburra Street  
Bundaberg QLD 4670  
Ph (07) 4152 7277

MVO Services  
5/85 Beach Road  
Hervey Bay QLD 4655  
Ph (07) 4194 0722

Your requested document is included below



The Noaw range of gravity feed slicers offers precision engineered machines with forged steel blades capable of slicing the variety of foods essential to restaurants, kitchens and fast food outlets. All models are manufactured from a special anodised aluminium alloy. A robust one-piece body houses the motor and blade mechanism providing rigidity and eliminating blade deflection during the cutting process, thus producing slices of consistent thickness. This frame also gives the added advantage of easy and safe cleaning with no crevices to harbour food particles. All models are belt driven and come complete with blade sharpener and safety cut out switch on the blade cover.

### Model: NS220

- Blade diameter 220mm.
- Height of cut 145mm.
- Length of cut 220mm.
- Slice thickness 0-16mm.
- Dimensions: (WxDxH):  
420mm x 510mm x 340mm.
- Motor power 220 Watts.



### Model: NS250

- Blade diameter 250mm.
- Height of cut 170mm.
- Length of cut 235mm.
- Slice thickness 0-16mm.
- Dimensions: (WxDxH):  
420mm x 520mm x 360mm.
- Motor power 220 Watts.



### Model: NS300

- Blade diameter 300mm.
- Height of cut 220mm.
- Length of cut 255mm.
- Slice thickness 0-16mm.
- Dimensions: (WxDxH):  
530mm x 600mm x 460mm.
- Motor power 258 Watts.



**Model: NS300HD** Extra Heavy Duty

- Blade diameter 300mm.
- Height of cut 220mm.
- Length of cut 290mm.
- Slice thickness 0-16mm.
- Dimensions: (WxDxH):  
570mm x 620mm x 430mm.
- Motor power 258 Watts.



**Model: NS350HD** Extra Heavy Duty

- Blade diameter 350mm.
- Height of cut 250mm.
- Length of cut 290mm.
- Slice thickness 0-16mm.
- Dimensions: (WxDxH):  
630mm x 720mm x 450mm.
- Motor power 258 Watts.



**SAFETY SYSTEM**

**Exclusive** to NOAW, the unique Safe Guard Safety System reduces the potential for injury, particularly during cleaning.

**Workplace Safety** has become a major concern with slicers recently and the Safe Guard System has been developed by NOAW with these OH&S issues in mind.

The new, non-removable glass-filled Nylon **Safety Blade Ring** ensures that cleaning is both simple &, more importantly, safe. The Safety ring is hygienic, durable and functional, ensuring that the **risk of injury is minimised at all times.**



MADE IN ITALY - DISTRIBUTED  
AND SERVICED IN AUSTRALIA BY

**ROBAND**  
AUSTRALIA PTY LTD



## FEATURES



Full blade edge guard for complete protection even while cleaning. Not included on the NS350HD.



Precise slice thickness adjustment knob, graduated in millimetres.



Rear blade deflection cover for consistent product positioning and cleaner operation.



The one piece anodised casting on all models provides machine rigidity and allows precise shaving of product and easy cleaning.



Built in sharpening head on all models.

All machines are manufactured to run at 220/240 Volts Single Phase 50Hz.

All dimensions are nominal only.

Constant research and development may necessitate machine specification changes at any time.

All machines are covered by a 12 month warranty subject to our Terms and Conditions of Trade.

**ROBAND**  
AUSTRALIA PTY LTD

DEALER:

MADE IN ITALY - DISTRIBUTED AND SERVICED BY:

ROBAND AUSTRALIA PTY LTD, 24 MIDDLETON ROAD, CROMER, NSW 2099 AUSTRALIA  
Telephone: 61 - 2 - 9971 1788 Facsimile 61 - 2 - 9971 1336 email: roband@roband.com.au

ROBAND NEW ZEALAND LTD, GREENMOUNT DRIVE, EAST TAMAKI, NEW ZEALAND  
Telephone: 64 - 9 - 274 1355 Facsimile 64 - 9 - 274 1356 email: roband@roband.co.nz

The SAFE GUARD SAFETY SYSTEM (© 2002 Roband Australia) detailed in this document, in addition to all images and logos affiliated with this system, remain the intellectual property of Roband Australia and are subject to copyright laws throughout Australia and overseas. This document may not be copied, in part or in its entirety, without the written permission of Roband Australia. All rights reserved.

The NOAW™, Roband Australia & Roband Food Service Equipment logos are all registered trademarks of Roband Australia Pty Ltd.