

extensive range
leading brands
design & install

SAFE & SECURE
ONLINE SHOPPING

australia wide authorised catering equipment distributor

Visit Australia's leading Commercial Catering Equipment website for instant quotes on the major catering equipment brands at very competitive prices.

www.mvocateringsolutions.com.au

Showroom locations

MVO Services
3 Toonburra Street
Bundaberg QLD 4670
Ph (07) 4152 7277


MVO Services
5/85 Beach Road
Hervey Bay QLD 4655
Ph (07) 4194 0722

Your requested document is included below

Contact Grills

The versatile Roband Contact Grill is right at home in the most demanding kitchen or in the busiest of fast food outlets. With top and bottom plate heating for focaccias, paninis, toasted sandwiches, steak and fish plus the option of hot plate only operation, the range of menu items is unlimited.

FEATURES




- Stainless steel body
- Cast aluminium plates for rapid heating and even temperature distribution
- Twin spring counter balanced self-adjusting top plate
- Precise thermostat control
- 5 minute timer with warning bell
- Optional ribbed top plate and or Teflon® coating
- Dura-life stainless steel elements
-  Advanced Control Safety Systems




CGS610 pictured



CGS810 pictured



See table page 5 for further dimension details.



SPECIFICATIONS

MODEL	SLICES No.	TOP PLATE	POWER Watts	ELEC CON. Amps	TIMER Mins	DIMENSIONS width (mm)	PLATE DIMENSIONS w x d (mm)
CGS610	6	SMOOTH	2300	10	5	385	350 x 290
CGR610	6	RIBBED	2300	10	5	385	350 x 290
CGS810	8	SMOOTH	2300	10	5	500	460 x 290
CGR810	8	RIBBED	2300	10	5	500	460 x 290
CGS815	8	SMOOTH	2990	15	5	500	460 x 290
CGR815	8	RIBBED	2990	15	5	500	460 x 290

Note: All bottom plates are smooth. Timer does not over-ride or control thermostat. Teflon® coating available on both plates, suffix "T" applies to model numbers above for this option.

Kebab & Sandwich Grill

With its higher top plate, this versatile Contact Grill is ideal for kebabs or any other sandwiches with thicker than average fillings.

While toasting both sides, the TX4 also quickly and efficiently heats the filling, while minimising the compression of the sandwich.

FEATURES

- Cooks up to six sandwiches at a time
- Stainless steel body
- Removable grease box
- Insulated lifting handle
- Thermostat control
- Spring counter-balanced self adjusting top plate
- Dura-Life stainless steel elements
- Teflon® coating available (Model TX4T)



TX4 pictured

SPECIFICATIONS

MODEL	SLICES No.	POWER Watts	ELEC CON. Amps	TIMER	DIMENSIONS w x d x h (mm)	PLATE DIMENSIONS w x d (mm)
TX4	6	2400	10	No	400 x 490 x 240	350 x 290