

extensive range
leading brands
design & install

SAFE & SECURE
ONLINE SHOPPING

australia wide authorised catering equipment distributor

Visit Australia's leading Commercial Catering Equipment website for instant quotes on the major catering equipment brands at very competitive prices.

www.mvocateringsolutions.com.au

Showroom locations

MVO Services
3 Toonburra Street
Bundaberg QLD 4670
Ph (07) 4152 7277

MVO Services
5/85 Beach Road
Hervey Bay QLD 4655
Ph (07) 4194 0722

Your requested document is included below

Technical Data

TOTAL CUSTOMER SUPPORT

When you install a Washtech glasswashing system you automatically enjoy the most professional service support. Our customer service technicians are just a phone call away around the clock and all our equipment comes with unbeatable warranty cover.



Guaranteed by the **5-2-1 promise**

- 5 year warranty on wash bay (parts only)
- 2 year warranty on wash pump (parts & labour)
- 1 year parts and labour warranty from date of installation on defective materials



Remember that with our rental option you can have an advanced Washtech unit from as little as \$3.30 a day.



2. STAINLESS ARMS
Unique precision jets in separate stainless arms with removable end caps ensure high performance, long life, pure rinsing and easy cleaning.



4. INSULATED DOOR
For energy savings and a cooler and quieter work environment. Magnetic door switch ensures the machine will not operate unless the door is properly closed.



6. UNIQUE CYCLE CONTROLS (GL ONLY)
Reliable electromechanical top-mounted controls with a unique glass or plate wash cycle at the touch of a button.



1. FLUSH FRONT
New flat front design provides a flush finish that doesn't protrude into busy staff walkways, is strong, easier to clean and more compact.



3. REMOVABLE RACK ADAPTOR
Universal rack adaptor accepts a variety of rack shapes and sizes and is easily removed for cleaning.



5. DOUBLE FILTRATION (GM & GL ONLY)
The L shaped wash tank provides double filtration to ensure effective separation, collection and removal of food scraps to help keep wash water clean.

RACK OPTIONS



435 x 365mm

435 x 435mm

	Non-Recirculating		Recirculating	
	GE	GA	GM	GL
Cycle Time				
Water Consumption				
Minimum Bench Depth				
Electrical Supply				
Door Clearance				
Maximum Rack Size (mm)				
Drain Pump				
Controls			OPTIONAL	OPTIONAL
Rinse Heating	LOWER	LOWER	LOWER	UPPER
Wash Heating	2.5kW	2.5kW	2.5kW	2.5kW
Machine Height (With Legs)		2.5kW	2.5kW	2.5kW
Machine Width (mm)	840	840	840	850
Insulated Door	500	500	500	500
Detergent Dispenser	✓	✓	✓	✓
Cold Rinse Standard	✓	✓	✓	✓
Upper Rinse	✓	✓	✓	✓
Lower Rinse	✓	✓	✓	✓
Commissioning Required	✓	✓	✓	✓
Type Tested	✓	✓	✗	✗
		✓	✓	✓

In line with policy to continually develop and improve its products Moffat Limited reserves the right to change specifications and design without notice



Australia
Moffat Pty Ltd
Victoria
740 Springvale Road
Mulgrave, Victoria 3170
Telephone 03-9518 3888
Facsimile 03-9518 3833
Email vsales@moffat.com.au
www.moffat.com.au

New South Wales
Telephone 02-8833 4111
Email nswsales@moffat.com.au

South Australia
Telephone 08-8274 2116
Email dmiller@moffat.com.au

Queensland
Telephone 07-3630 8600
Email qldsales@moffat.com.au

Western Australia
Telephone 08-9562 0263
Email jberent@moffat.com.au



WAS0028



Glasswashing Systems G-Series



G SERIES

THE NEW INDUSTRY STANDARD IN GLASSWASHERS

When it comes to economy, reliability and ease of use, Washtech G-series glasswashers clean up.

Meet the latest G-series commercial glasswashers from Washtech.

They embody the very latest technical innovations from Australasia's largest manufacturer of commercial glass and dishwashing systems.

They're highly effective in meeting the strictest regulatory hygiene requirements.

And because they're remarkably economical in operation they help smart operators to clean up in other ways ...

All Washtech washers are manufactured to ISO9001 standards and are backed by comprehensive after sales support. You'll find a model to suit your needs.

As part of the international Ali Group, Washtech supplies a full range of glasswashers, along with undercounter, passthrough and rack conveyor dishwashers and warewashers.

WASHTECH RECIRCULATING

GM High Performance Glasswasher



- This recirculating glasswasher exposes washware to high volumes of water - 100 litres per minute for enhanced wash effectiveness.
- Double filtration helps keep water clean.
- Compact height of 840mm.
- Drain pump option for very high drainage outlets.

MACHINES PAY FOR THEMSELVES EVERY DAY

GL Premium Glasswasher & Light Duty Dishwasher



290MM DOOR CLEARANCE STANDARD ON ALL G SERIES MODELS

In addition to all the features of the GM, the GL offers ergonomically positioned top controls with multiple cycles - 1, 2, and 3 minutes. One touch buttons combine both cycle start and cycle time selection so staff can maximise wash time for every cycle. Allows a longer wash cycle for washing more heavily soiled sideplates and cups, making the GL suitable where sandwiches, pastries or light snacks are served.



LATEST RECIRCULATING TECHNOLOGY BRINGS SAVINGS

Regardless of the length of the total cycle time our GM & GL models use only 2.5 litres of water per cycle versus 7 litres for non-recirculating washers. You save on water, power and detergent. In a busy operation the extra premium you pay for a recirculating machine may be repaid in 3 months.



SUPERIOR PERFORMANCE

Our GM & GL models give better wash results because they recirculate wash water at higher volumes through high performance wash jets.



Less Water Use

+



Less Energy Use

+



Less Detergent

+



Fewer Breakages

+



Quicker Turnaround

=



SAVED

NON-RECIRCULATING GLASSWASHERS

GA High Speed Glasswasher



Ideally suited to sanitizing lightly soiled glassware with a 60 second cycle (including cold rinse). Combines new G series design features with a break tank for constant wash and rinse pressure regardless of the water supply. Also type tested for backflow compliance. Detergent injector fitted as standard.

GE Economy Glasswasher



Incorporates new G series design features. 60 second cycle (including cold rinse). Optional 30 second cycle. Detergent injector and universal rack adaptor standard. Unique copper rinse tank withstands hard water.



Higher clearance doors provide 290mm of clearance to easily accommodate taller glasses for specialty beers, jugs and carafes.



New flush front insulated door is strong and durable, as well as more compact and easier to clean.



Convenient 500mm width cabinet is the standard industry size and fits all standard glassware racks up to 435mm square.



Interior is easy to clean for optimum hygiene. Door angle returns water to the machine.



Selectable cold final rinse to cool glasses when required - or switch it off for fast drying.

